











Product overview 02

 <p>FAG</p>	 <p>FAV</p>
 <p>SYA</p>	 <p>YHA</p>
 <p>YHB</p>	 <p>YHBS</p>
 <p>YRA</p>	 <p>YRB</p>




Sample of installation: Product category 2




FAG-3-30-250-50-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type




FAV-3-30-250-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Alloy type




SYA-3-30-250-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Alloy type




YHA-3-15-250-130-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type



YHB-3-15-250-130-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type




YHB-3-15-250-130-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type

09 Ferrules

10 Stud welding unit/ Welding gun




YRA-3-30-250-130-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type

09 Ferrules ▶

10 Stud welding unit/ Welding gun ▶



YRB-3-30-250-100-1.4841

- Anchor type
- Anchor thickness t
- Anchor width B
- Anchor length L
- Slot length C
- Alloy type

09 Ferrules ▶

10 Stud welding unit/ Welding gun ▶